

**Section 1: IDENTIFICATION**

Product Name: MCPA Ester 600
Pest Control Product Number: 29001
Product Use: Phenoxy (Broadleaf) Herbicide.
Restrictions on Use: Not available.
Manufacturer/Supplier: Interprovincial Cooperative LTD. (IPCO)
945 Marion Street
Winnipeg, MB R2J 0K7
Phone Number: 204.233.3461
Emergency Phone: 204.233.3461
CANUTEC: 1-888-CAN-UTEC (226-8832), 613-996-6666 or
*666 on a cellular phone.
Date of Preparation of SDS: June 10, 2020

Section 2: HAZARD(S) IDENTIFICATION**GHS INFORMATION**

Classification: Acute Toxicity - Oral, Category 4
Skin Irritation, Category 2
Eye Damage, Category 1

LABEL ELEMENTS**Hazard****Pictogram(s):****Signal Word:** Danger

Hazard Statements: Harmful if swallowed.
Causes skin irritation.
Causes serious eye damage.

Precautionary Statements

Prevention: Wash hands thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves, protective clothing and eye protection.

Response: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor.
Rinse mouth.
If skin irritation occurs: Get medical attention.
Take off contaminated clothing and wash it before reuse.

**MCPA Ester 600**

Date of Preparation: June 10, 2020

SAFETY DATA SHEET**Storage:** Not applicable.**Disposal:** Dispose of contents and container in accordance with applicable regional, national and local laws and regulations.**Hazards Not Otherwise Classified:** Not applicable.**Ingredients with Unknown Toxicity:** 2.24% of this product mixture consists of ingredient(s) of unknown acute toxicity.

This material is considered hazardous by the OSHA Hazard Communication Standard, (29 CFR 1910.1200).

This material is considered hazardous by the Hazardous Products Regulations.

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Ingredient(s) | Common name / Synonyms | CAS No. | % wt./wt. |
|---|------------------------|------------|---------------|
| (4-Chloro-2-methylphenoxy)acetic acid | MCPA | 94-74-6 | 88.11 - 93.55 |
| Distillates (petroleum), hydrotreated light | Not available. | 64742-47-8 | 2.10 - 2.24 |

Section 4: FIRST-AID MEASURES**Inhalation:** If inhaled: Call a poison center or doctor if you feel unwell.**Acute and delayed symptoms and effects:** May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.**Eye Contact:** If in eyes: Rinse cautiously with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.**Acute and delayed symptoms and effects:** Causes serious eye damage. Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.**Skin Contact:** If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.**Acute and delayed symptoms and effects:** Causes skin irritation. Signs/symptoms may include localized redness, swelling, and itching.**Ingestion:** If swallowed: Rinse mouth. Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.**Acute and delayed symptoms and effects:** Harmful if swallowed. May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.**General Advice:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).



Note to Physicians: Symptoms may not appear immediately.

Section 5: FIRE-FIGHTING MEASURES

FLAMMABILITY AND EXPLOSION INFORMATION

Not flammable or combustible by OSHA/WHMIS criteria.

Sensitivity to Mechanical Impact: This material is not sensitive to mechanical impact.

Sensitivity to Static Discharge: This material is sensitive to static discharge at temperatures at or above the flash point.

MEANS OF EXTINCTION

Suitable Extinguishing Media: Small Fire: Dry chemical, CO₂, water spray or regular foam.

Large Fire: Water spray, fog or regular foam. Move containers from fire area if you can do it without risk.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: Oxides of carbon. Hydrochloric acid. Chlorine.

Protection of Firefighters: Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

Section 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures: Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Personal Precautions: Do not touch or walk through spilled material. Use personal protection recommended in Section 8.

Environmental Precautions: Keep out of drains, sewers, ditches, and waterways.

Methods for Containment: Stop leak if without risk. Do not flush to sewer or allow to enter waterways.

Methods for Clean-Up: Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

Other Information: See Section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Handling:

Do not swallow. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. See Section 8 for information on Personal Protective Equipment.

Storage:

Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

**Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION****Exposure Guidelines
Component**

(4-Chloro-2-methylphenoxy)acetic acid (MCPA) [CAS No. 94-74-6]

ACGIH: No TLV established.

OSHA: No PEL established.

Distillates (petroleum), hydrotreated light [CAS No. 64742-47-8]

ACGIH: 100 ppm (TWA); (1980); For Stoddard solvent

OSHA: 500 ppm (TWA), 2900 mg/m³ (TWA); For Stoddard solvent.
100 ppm (TWA) [Vacated]; For Stoddard solvent.

PEL: Permissible Exposure Limit

TLV: Threshold Limit Value

TWA: Time-Weighted Average

Engineering Controls:

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapour, gas, etc.) below recommended exposure limits.

PERSONAL PROTECTIVE EQUIPMENT (PPE)**Eye/Face Protection:**

Wear chemical safety goggles. Ensure that eyewash stations and safety showers are close to the workstation location. Use equipment for eye protection that meets the standards referenced by CSA Standard CAN/CSA-Z94.3-92 and OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment.

Hand Protection:

Wear protective gloves. Consult manufacturer specifications for further information.

Skin and Body Protection:

Wear protective clothing.

Respiratory Protection:

If engineering controls and ventilation are not sufficient to control exposure to below the allowable limits then an appropriate NIOSH/MSHA approved air-purifying respirator that meets the requirements of CSA Standard CAN/CSA-Z94.4-11, or self-contained breathing apparatus must be used. Supplied air breathing apparatus must be used when oxygen concentrations are low or if airborne concentrations exceed the limits of the air-purifying respirators.

General Hygiene Considerations:

Handle according to established industrial hygiene and safety practices. Consult a competent industrial hygienist to determine hazard potential and/or the PPE manufacturers to ensure adequate protection.

**Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

| | |
|--|--|
| Appearance: | Brown liquid. |
| Colour: | Brown. |
| Odour: | Solvent. |
| Odour Threshold: | Not available. |
| Physical State: | Liquid. |
| pH (1% solution): | 4.3 |
| Melting Point / Freezing Point: | < 0 °C (32 °F) |
| Initial Boiling Point: | 237 °C (458.6 °F) (Distillates, petroleum, hydrotreated light) |
| Boiling Range: | 237 to 277 °C (458.6 to 530.6 °F) (Distillates, petroleum, hydrotreated light) |
| Flash Point: | > 93.3 °C (199.94 °F) (TCC) |
| Evaporation Rate: | < 0.001 (n-BuAc = 1) (Distillates, petroleum, hydrotreated light) |
| Flammability (solid, gas): | Not applicable. |
| Lower Flammability Limit: | 0.5 % |
| Upper Flammability Limit: | 4.8 % |
| Vapor Pressure: | 0 kPa at 20 °C (68 °F) (Distillates, petroleum, hydrotreated light) |
| Vapor Density: | > 7.5 (Air = 1) Distillates, petroleum, hydrotreated light |
| Relative Density: | 1.0600 at 20 °C (68 °F) |
| Solubilities: | Emulsifies in water. |
| Partition Coefficient: n-Octanol/Water: | Not available. |
| Auto-ignition Temperature: | 243 °C (469.4 °F) (Distillates, petroleum, hydrotreated light) |
| Decomposition Temperature: | Not available. |
| Viscosity: | 58.4 cP at 20 °C (68 °F) |
| Percent Volatile, wt. %: | Not available. |
| VOC content, wt. %: | Not available. |
| Density: | Not available. |
| Coefficient of Water/Oil Distribution: | Not available. |

Section 10: STABILITY AND REACTIVITY

| | |
|--------------------|---|
| Reactivity: | Contact with incompatible materials. Sources of ignition. Exposure to heat. |
|--------------------|---|

**MCPA Ester 600**

Date of Preparation: June 10, 2020

SAFETY DATA SHEET

Chemical Stability: Stable under normal storage conditions.

Possibility of Hazardous Reactions: None known.

Conditions to Avoid: Contact with incompatible materials. Sources of ignition. Exposure to heat.

Incompatible Materials: Acids. Bases. Oxidizers.

Hazardous Decomposition Products: Not available.

Section 11: TOXICOLOGICAL INFORMATION**EFFECTS OF ACUTE EXPOSURE****Product Toxicity**

Oral: 1046 mg/kg (rat)

Dermal: > 2000 mg/kg (rat)

Inhalation: 2.64 mg/L (rat); 4H

Component Toxicity

| Component | CAS No. | LD ₅₀ oral | LD ₅₀ dermal | LC ₅₀ |
|--|------------|-----------------------|-------------------------|----------------------------------|
| (4-Chloro-2-methylphenoxy)acetic acid (MCPA) | 94-74-6 | 700 mg/kg (rat) | > 2000 mg/kg (rabbit) | 1370 mg/m ³ (rat); 4H |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | Not available. | Not available. | Not available. |

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Target Organs: Skin. Eyes. Gastrointestinal tract. Respiratory system. Central nervous system.

Symptoms (including delayed and immediate effects)

Inhalation: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Eye: Causes serious eye damage. Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Skin: Causes skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Ingestion: Harmful if swallowed. May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Skin Sensitization: Not available.

Respiratory Sensitization: Not available.

Medical Conditions Aggravated By Exposure: Not available.



MCPA Ester 600

Date of Preparation: June 10, 2020

SAFETY DATA SHEET

EFFECTS OF CHRONIC EXPOSURE (from short and long-term exposure)

Target Organs: Skin. Eyes. Gastrointestinal tract. Respiratory system. Central nervous system.

Chronic Effects: Prolonged or repeated contact may dry skin and cause irritation.

Carcinogenicity: This product does not contain any carcinogens or potential carcinogens above reportable thresholds as listed by ACGIH, IARC, OSHA, or NTP.

Component Carcinogenicity

| Component | ACGIH | IARC | NTP | OSHA | Prop 65 |
|-----------|-------------|----------|-------------|------------------|-------------|
| MCPA | Not listed. | Group 2B | Not listed. | OSHA Carcinogen. | Not listed. |

Mutagenicity: For MCPA, there have been some positive and some negative studies, but the weight of evidence is that the substance is not mutagenic.

Reproductive Effects: Testicular effects have been noted in animal studies on MCPA. Lower male fertility has been observed in animal studies on MCPA.

Developmental Effects

Teratogenicity: Not available.

Embryotoxicity: MCPA studies in laboratory animals have shown decreased fetal body weights and delayed development in the offspring at doses toxic to mother animals.

Toxicologically Synergistic Materials: Not available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Not available.

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

Other Adverse Effects: Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal Instructions: Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

Section 14: TRANSPORT INFORMATION

U.S. Department of Transportation (DOT)

Proper Shipping Name: Not regulated.

Class: Not applicable.

UN Number: Not applicable.

Packing Group: Not applicable.

Label Code: Not applicable.



MCPA Ester 600

Date of Preparation: June 10, 2020

SAFETY DATA SHEET

Canada Transportation of Dangerous Goods (TDG)

Proper Shipping Name: Not regulated.

Class: Not applicable.

UN Number: Not applicable.

Packing Group: Not applicable.

Label Code: Not applicable.

Section 15: REGULATORY INFORMATION

Federal Regulations

United States

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SARA Title III

| Component | Section 302 (EHS) TPQ (lbs.) | Section 304 EHS RQ (lbs.) | CERCLA RQ (lbs.) | Section 313 | RCRA CODE | CAA 112(r) TQ (lbs.) |
|--|------------------------------|---------------------------|------------------|-------------|-------------|------------------------|
| (4-Chloro-2-methylphenoxy)acetic acid (MCPA) | Not listed. | Not listed. | Not listed. | 313 | Not listed. | Not listed. |

State Regulations

Massachusetts

US Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

| Component | CAS No. | RTK List |
|---|------------|----------|
| Distillates (petroleum), hydrotreated light | 64742-47-8 | Listed. |

New Jersey

US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

| Component | CAS No. | RTK List |
|--|------------|----------|
| (4-Chloro-2-methylphenoxy)acetic acid (MCPA) | 94-74-6 | Listed. |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | Listed. |

Pennsylvania

US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

| Component | CAS No. | RTK List |
|---|------------|----------|
| Distillates (petroleum), hydrotreated light | 64742-47-8 | Listed. |

California

California Prop 65: This product does not contain chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.



SAFETY DATA SHEET

MCPA Ester 600

Date of Preparation: June 10, 2020

Section 16: OTHER INFORMATION

Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for their own particular use.

Date of Preparation of SDS: June 10, 2020

Version: 1.0